

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : 43060 - AUTOGEAR OIL MP 80W-90
Product code : 43060

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Industrial use, Professional use, Consumer use
Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

77 Lubricants B.V.
NL- 1761 JA
The Netherlands
T +31 (0)78 6527652
technical@77lubricants.nl - www.77lubricants.nl

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|----------------------------|------------------|--------------------------------------|
| United Kingdom | Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust | Avonley Road SE14 5ER | +44 20 7188 7188 | |
| United Kingdom | National Poisons Information Service (Belfast Centre) Royal Victoria Hospital | Grosvenor Road BT12 6BA | 0344 892 0111 | Only for healthcare professionals |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412
Category 3
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.
P103 - Read carefully and follow all instructions.
P273 - Avoid release to the environment.
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

43060 - AUTOGEAR OIL MP 80W-90

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.3. Other hazards

Other hazards which do not result in classification : Flammable liquids. Prolonged or repeated skin contact with the material will remove natural oils which leads to a dermatitis. Spills of this product present a serious slipping hazard.

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|--------------------|--|
| Residual oils (petroleum), solvent-dewaxed substance with national workplace exposure limit(s) (NL) | CAS-No.: 64742-62-7 EC-No.: 265-166-0 EC Index-No.: 649-471-00-X REACH-no: 01-2119480472-38 | $\geq 55 - < 75$ | Not classified |
| Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit | CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627-25 | $\geq 25 - < 45$ | Not classified |
| Amines, C10-14-tert-alkyl | EC-No.: 701-175-2 REACH-no: 01-2119456798-18 | $\geq 0.1 - < 0.3$ | Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation:vapour), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | CAS-No.: 1213789-63-9 EC-No.: 627-034-4 REACH-no: 01-2119473797-19 | < 0.3 | Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits (%) |
|---------------------------|---|---|
| Amines, C10-14-tert-alkyl | EC-No.: 701-175-2 REACH-no: 01-2119456798-18 | $(6.7 \leq C \leq 100)$ Skin Sens. 1A, H317 |

43060 - AUTOGEAR OIL MP 80W-90

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:

| Name | Product identifier | Specific concentration limits (%) |
|---|--|-----------------------------------|
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | CAS-No.: 1213789-63-9 EC-No.: 627-034-4 REACH-no: 01-2119473797-19 | (10 ≤ C < 100) STOT RE 2, H373 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects after inhalation | : After adequate first aid, no further treatment is required unless symptoms reappear. |
| Symptoms/effects after skin contact | : After adequate first aid, no further treatment is required unless symptoms reappear. |
| Symptoms/effects after eye contact | : After adequate first aid, no further treatment is required unless symptoms reappear. |
| Symptoms/effects after ingestion | : After adequate first aid, no further treatment is required unless symptoms reappear. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|---|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a water jet since it may cause the fire to spread. |

5.2. Special hazards arising from the substance or mixture

| | |
|--|--------------------------------|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
|--|--------------------------------|

5.3. Advice for firefighters

| | |
|--------------------------------|--|
| Precautionary measures fire | : Exercise caution when fighting any chemical fire. |
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|------------------|--|
| General measures | : Avoid spilling the product, as this might cause falls. |
|------------------|--|

6.1.1. For non-emergency personnel

| | |
|----------------------|---|
| Protective equipment | : Wear recommended personal protective equipment. |
| Emergency procedures | : Ventilate spillage area. |

6.1.2. For emergency responders

| | |
|----------------------|--|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. Wear suitable protective clothing, gloves and eye/face protection. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|--|

43060 - AUTOGEAR OIL MP 80W-90

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
- Methods for cleaning up : Take up liquid spill into absorbent material.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes.
- Handling temperature : $\leq 40\text{ }^{\circ}\text{C}$
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Provide local exhaust or general room ventilation.
- Storage conditions : Store in a well-ventilated place. Keep cool.
- Storage temperature : $\leq 40\text{ }^{\circ}\text{C}$
- Storage area : Store in a well-ventilated place. Store away from heat.
- Special rules on packaging : Keep only in original container. Store in a closed container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|---|---------------------|
| EU - Indicative Occupational Exposure Limit (IOEL) | |
| IOEL TWA | 5 mg/m ³ |
| United Kingdom - Occupational Exposure Limits | |
| WEL TWA (OEL TWA) [1] | 5 mg/m ³ |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

43060 - AUTOGEAR OIL MP 80W-90

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

| Eye protection | | | |
|----------------|----------------------|-----------------|----------|
| Type | Field of application | Characteristics | Standard |
| Safety glasses | Droplet | clear | EN 166 |

8.2.2.2. Skin protection

Skin and body protection:

Avoid prolonged and repeated contact with skin. If repeated skin contact or contamination of clothing is likely, protective clothing should be worn

Hand protection:

Breakthrough time : refer to the recommendations of the supplier

| Hand protection | | | | | |
|-----------------|---|-------------------|----------------|-------------|------------|
| Type | Material | Permeation | Thickness (mm) | Penetration | Standard |
| Reusable gloves | Nitrile rubber (NBR), Neoprene rubber (HNBR) | 6 (> 480 minutes) | >0.35 | | EN ISO 374 |

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|-----------------------|
| Physical state | : Liquid |
| Colour | : light brown. |
| Odour | : Not available |
| Odour threshold | : Not available |
| Melting point | : Not applicable |
| Freezing point | : -35 °C (ASTM D7346) |
| Boiling point | : Not available |

43060 - AUTOGEAR OIL MP 80W-90

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|---|--|
| Flammability | : Non flammable. |
| Lower explosion limit | : Not available |
| Upper explosion limit | : Not available |
| Flash point | : > 201 °C (ASTM D92) |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : Not available |
| Viscosity, kinematic | : 127 mm ² /s @ 40°C (ASTM D7042) |
| Solubility | : insoluble in water. |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50°C | : Not available |
| Density | : 886 kg/m ³ @ 15°C (ASTM D4052) |
| Relative density | : Not available |
| Relative vapour density at 20°C | : Not available |
| Particle characteristics | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

Residual oils (petroleum), solvent-dewaxed (64742-62-7)

| | |
|-------------------|--------------|
| LD50 oral (rat) | > 5000 mg/kg |
| LD50 dermal (rat) | > 2000 mg/kg |

43060 - AUTOGEAR OIL MP 80W-90

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Amines, C10-14-tert-alkyl | |
|---|---|
| LD50 oral (rat) | 612 mg/kg (OECD 401) |
| LD50 dermal (rat) | 251 mg/kg (OECD 402) |
| LC50 inhalation (rat) (Vapours - mg/l/4h) | 1.19 mg/l/4h (OECD 403) |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines (1213789-63-9) | |
| LD50 oral (rat) | 1689 mg/kg |
| LD50 dermal (rat) | > 2000 mg/kg |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
| LD50 oral (rat) | > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test |
| LD50 dermal (rabbit) | > 2000 mg/kg 402 Acute Dermal Toxicity Test |
| LC50 inhalation (rat) (mg/l) | > 5000 mg/l/4h |
| LC50 inhalation (rat) (Dust/Mist - mg/l/4h) | > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test |
| Skin corrosion/irritation | : Not classified |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines (1213789-63-9) | |
| pH | 11.7 |
| Serious eye damage/irritation | : Not classified |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines (1213789-63-9) | |
| pH | 11.7 |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines (1213789-63-9) | |
| STOT-single exposure | May cause respiratory irritation. |
| STOT-repeated exposure | : Not classified |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines (1213789-63-9) | |
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 |
| Aspiration hazard | : Not classified |
| 43060 - AUTOGEAR OIL MP 80W-90 | |
| Viscosity, kinematic | 127 mm ² /s @ 40°C (ASTM D7042) |
| Residual oils (petroleum), solvent-dewaxed (64742-62-7) | |
| Viscosity, kinematic | 490 mm ² /s @40°C |
| Amines, C10-14-tert-alkyl | |
| Viscosity, kinematic | 3.44 mm ² /s |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
| Viscosity, kinematic | 98 (98 – 108) mm ² /s @40°C |

43060 - AUTOGEAR OIL MP 80W-90

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Amines, C10-14-tert-alkyl

| | |
|----------------------|---|
| LC50 - Fish [1] | 1.3 mg/l Oncorhynchus mykiss |
| EC50 - Crustacea [1] | 2.5 mg/l Daphnia magna |
| EC50 72h - Algae [1] | 0.44 mg/l Pseudokirchneriella subcapitata |
| NOEC (chronic) | 0.078 mg/l |
| NOEC chronic fish | 0.078 mg/l Oncorhynchus mykiss (96d) |
| NOEC chronic algae | 0.05 mg/l Pseudokirchneriella subcapitata (72h) |

C16-18-(even numbered, saturated and unsaturated)-alkylamines (1213789-63-9)

| | |
|------------------------|---|
| LC50 - Fish [1] | 0.06 mg/l Pimephales promelas (OECD 203) |
| LC50 - Fish [2] | 0.9 mg/l Cyprinodon variegatus |
| EC50 - Crustacea [1] | 0.011 mg/l Daphnia magna (OECD 202) |
| EC50 72h - Algae [1] | 0.12 mg/l Desmodesmus subspicatus |
| LOEC (chronic) | 0.032 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC (chronic) | 0.013 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC chronic crustacea | 0.013 mg/l Daphnia magna (21d) |
| NOEC chronic algae | 0.15 mg/l Desmodesmus subspicatus (72h) |

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

| | |
|------------------------|--|
| LC50 - Fish [1] | > 100 mg/l Pimephales promelas |
| EC50 - Crustacea [1] | > 10000 mg/l Daphnia magna |
| EC50 72h - Algae [1] | > 100 mg/l Pseudokirchneriella subcapitata |
| NOEC chronic fish | 1000 mg/l Oncorhynchus mykiss (14d) |
| NOEC chronic crustacea | 10 mg/l Daphnia magna (21d) |
| NOEC chronic algae | ≥ 100 mg/l Pseudokirchneriella subcapitata (72h) |

12.2. Persistence and degradability

Amines, C10-14-tert-alkyl

| | |
|----------------|------------------------|
| Biodegradation | 21.8 % OECD 301D (28d) |
|----------------|------------------------|

C16-18-(even numbered, saturated and unsaturated)-alkylamines (1213789-63-9)

| | |
|----------------|----------------------|
| Biodegradation | 66 % OECD 301B (28d) |
|----------------|----------------------|

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

| | |
|-------------------------------|----------------------------|
| Persistence and degradability | Not readily biodegradable. |
|-------------------------------|----------------------------|

43060 - AUTOGEAR OIL MP 80W-90

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

| | |
|----------------|--------------------------|
| Biodegradation | 31 % OECD TG 301 F (28d) |
|----------------|--------------------------|

12.3. Bioaccumulative potential

Residual oils (petroleum), solvent-dewaxed (64742-62-7)

| | |
|---|-------|
| Partition coefficient n-octanol/water (Log Pow) | > 3.5 |
|---|-------|

Amines, C10-14-tert-alkyl

| | |
|---|------------|
| Partition coefficient n-octanol/water (Log Pow) | 2.9 @ 20°C |
|---|------------|

C16-18-(even numbered, saturated and unsaturated)-alkylamines (1213789-63-9)

| | |
|-------------------------------------|-------|
| Bioconcentration factor (BCF REACH) | > 500 |
|-------------------------------------|-------|

| | |
|---|-------------|
| Partition coefficient n-octanol/water (Log Kow) | 4.33 @ 25°C |
|---|-------------|

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

| | |
|---|---------|
| Partition coefficient n-octanol/water (Log Pow) | 3.9 – 6 |
|---|---------|

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|---|--|
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| European List of Waste (LoW, EC 2000/532) | : 13 02 00 - waste engine, gear and lubricating oils |
| HP Code | : HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment |

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|----------------|----------------|----------------|----------------|
| 14.1. UN number or ID number | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |

43060 - AUTOGEAR OIL MP 80W-90

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR | IMDG | IATA | ADN | RID |
|--|----------------|----------------|----------------|----------------|
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

43060 - AUTOGEAR OIL MP 80W-90

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Indication of changes | | | |
|-----------------------|---------------|----------|----------|
| Section | Changed item | Change | Comments |
| | Revision date | Modified | |
| | Supersedes | Modified | |

| Abbreviations and acronyms: | |
|-----------------------------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| COD | Chemical oxygen demand (COD) |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| EN | European Standard |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |

43060 - AUTOGEAR OIL MP 80W-90

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:

| | |
|---------|--|
| VOC | Volatile Organic Compounds |
| CAS-No. | Chemical Abstract Service number |
| N.O.S. | Not Otherwise Specified |
| vPvB | Very Persistent and Very Bioaccumulative |
| ED | Endocrine disrupting properties |

Full text of H- and EUH-statements:

| | |
|-------------------------------------|--|
| Acute Tox. 2 (Inhalation:vapour) | Acute toxicity (inhalation:vapour) Category 2 |
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H335 | May cause respiratory irritation. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Sens. 1A | Skin sensitisation, category 1A |
| STOT RE 2 | Specific target organ toxicity – Repeated exposure, Category 2 |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.